

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	(gas near1 discharge) and deuterium and lamp and anode and cathode	EPO; JPO; DERWENT	OR	ON	2009/02/26 10:30
L2	111	((ito).in. with yoshinobu) ((ito).in. with masaki) ((matsushita).in. with koji)	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/26 10:40
L4	1	2 and (gas discharge tube cathode anode path restricting surface opening non-circular reference plane).clm.	US-PGPUB; USPAT; USOCR	AND	ON	2009/02/26 10:43
S1	17185	(313/627-643,567,111-117,25-27,318.01-318.09 439/615,739 445/24,26,29,22).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 07:57
S2	8155	S1 and @ad<"20050630"	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 07:59
S3	6157	S2 and (hole aperture cavity pinhole slit slot opening perforation eyelet gap puncture notch pierc \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 08:01
S4	1119	S3 and (gas near1 discharge)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 08:02
S5	415	S3 and (anode with plate)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 08:02
S6	4138	S3 and gas	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 08:03
S7	1289	S6 and (anode and cathode)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 08:04
S8	543	S2 and ((gas\$4 near1 discharge).ti. (gas\$4 near1 discharge).ab.)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 08:43
S9	423	S8 not S7	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 08:43
S10	1	"5698945".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 09:13
S11	70898	(adjust\$4 near1 (opening aperture gap hole pin \$1hole slit slot eye eyelet))	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 10:40

S12	17185	(313/627-643,567,111-117,25-27,318.01-318.09 439/615,739 445/24,26,29,22).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 10:41
S13	8155	S12 and @ad<"20050630"	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 10:41
S14	6157	S13 and (hole aperture cavity pinhole slit slot opening perforation eyelet gap puncture notch pierc \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 10:41
S15	4138	S14 and gas	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 10:41
S16	1289	S15 and (anode and cathode)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 10:41
S17	5	S16 and (adjust\$4 near1 (opening aperture gap hole pin\$1hole slit slot eye eyelet))	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 10:41
S18	1969	313/609-619.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 10:42
S19	469	S18 and @ad<"20050630"	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 10:42
S20	543	S13 and ((gas\$4 near1 discharge).ti. (gas\$4 near1 discharge).ab.)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 10:43
S21	425	S19 not S20	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 10:43
S22	423	S20 not S16	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 10:43
S23	448	S19 not S22	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 10:43
S24	448	S23 and (anode cathode aperture hole opening discharge gas oblong ellipse elliptic\$2 rectangle rectangular square triangle triangular adjust \$4)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 10:47
S25	139	S24 and (anode with (hole aperture cavity pinhole slit slot opening perforation eyelet gap puncture notch pierc\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 10:48
S26	0	"4611143".pn. and chromatograph	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 11:21
S27	0	"5698945".pn. and chromatograph	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 11:22

S28	1	S24 and chromatograph	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 11:23
S29	1	S19 and chromatograph	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 11:24
S30	8	S13 and chromatograph	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 11:24
S31	2	("4611143" "4622485"). pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 12:15
S32	85	(gas adj discharge adj lamp) with (anode)	EPO; JPO; DERWENT	OR	ON	2008/09/10 12:20
S33	0	S32 and (hole aperture cavity pinhole slit slot opening perforation eyelet gap puncture notch pierc \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 12:21
S34	1	"7397190".pn.	EPO; JPO; DERWENT	OR	ON	2008/09/10 12:27
S35	1	"7397190".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/10 12:28
S36	5	("1961964" "2064252" "4433265").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 13:41
S37	3	("20020168049" "5467362" "6452194"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 13:45
S38	3	("2176134" "3753018"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 13:45
S39	5	("1961964" "2064252" "4433265").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 13:50
S40	3	("20020168049" "5467362" "6452194"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 13:50
S41	3	("2176134" "3753018"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 13:57
S42	1935	(deuterium with lamp)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 14:04
S43	11	(deuterium with lamp)	USOCR	OR	ON	2008/09/11 14:04
S44	0	S43 and (anode with (hole aperture slit slot opening))	USOCR	OR	ON	2008/09/11 14:05
S45	1935	(deuterium with lamp)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 14:06
S46	84	S45 and (anode with (hole aperture slit slot opening))	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 14:06

S47	14	S45 and (anode with ((hole aperture slit slot opening) near10 (square rectangular rectangle oval ovoid ellipse triangle triangular ellipsoidal)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 14:09
S48	84	S45 and (anode with (hole aperture slit slot opening))	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 14:20
S49	5	"2004051698".pn.	EPO; JPO; DERWENT	OR	ON	2008/09/11 15:42
S50	17529	(313/627-643,567,111-117,25-27,318.01-318.09 439/615,739 445/24,26,29,22).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/26 07:57
S51	860	S50 and (anode with (open\$3 slot slit gap))	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/26 07:57
S52	23	S51 and deuterium	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/26 08:00
S53	86	S50 and deuterium	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/26 08:01
S54	101	(gas near1 discharge) and deuterium and lamp and anode and cathode	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/26 08:13

2/ 26/ 2009 10:49:40 AM

C:\ Documents and Settings\ draleigh\ My Documents\ EAST\ Workspaces\ 10574514.wsp